

J&K Pollution Control Committee
Jammu/Kashmir (www.jkspcb.nic.in)

PCC

Consent Order

Consent No.:- PCC/digital/ 25045136307 of 2025

Date:- 04/03/2025

Consent To Operate (Fresh) under Section 25/26 of the Water (Prevention & Control Pollution) Act, 1974 and under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended is granted in favour of

Dr. Amit Vaid,
M/s Dr. Amit Multispeciality Hospital,
Main Bazar Miran Sahib,
Village Bansultan R S Pura Road, Jammu- 181101

for a period upto **December-2025** for ORANGE category of HCF as per revised classification of industrial sector, subject to the following terms and conditions in a time bound manner :

1. The consent granted by the Committee is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under other laws of the land.
2. The consent is granted valid for Operate of Health Care Facility (HCF) for indoor patients with capital investment of Rs. 234.70 lakhs (as per Schedule II):

S. No.	Facility	Capacity of Beds
1	Health Care Facility (Hospital)	30

Any change / enhancement in HCF shall have to be intimated to the Committee and the HCF authority has to apply afresh for the same

3. **Compliance under Water Act :**

a) Trade Effluent: The HCF has to maintain continuous operation of a comprehensive effluent treatment system (ETP/ STP) consisting of Primary / Secondary / Tertiary treatment so as to achieve the quality of the treated effluent to the following standards of discharge outlet

Standards of Discharge for Trade Effluent:

Compulsory Parameters	Conc. in mg/l except for pH
pH	6.5-8.5
Suspended Solids	100
BOD(3 days at 27 degree celsius)	30
Oil & Grease	10

b) Sewage Effluent - The HCF has to install and maintain continuous operation of a comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality to treated effluent to the following standards before disposal :-

Standards of discharge for Sewage disposal:



Parameters	Range	Conc. in mg/l except for pH
pH	between	6-9
Suspended Solids	Not to exceed	100
BOD(3 days at 27 degree celsius)	not to exceed	30

c) Water consumption & Disposal

- The daily quantity of water consumption shall not exceed 9 KLD.
- The daily quantity of sewage effluent from the unit shall not exceed 7 KLD
- Waste water generated from the unit shall be disposed through ETP/STP.

Compliance under Air Act :

- The HCF shall comply to National Ambient Air Quality Standards as per EP Act 1986 (refer rule 3(3B)).
- The HCF authority has to operate stack (s) of the specification defined in various environmental laws.
- The HCF has to install and maintain continuous operation of a comprehensive air pollution control system including the following pollution control devices to achieve the quality of emissions within the tolerance limits as prescribed under the environment protection act 1986:

S.No.	Pollution Control Equipments
1	Exhaust Fans, Fire Extinguishers, Effluent Treatment Plant, Pollution Control Devices as applicable under Environment Protection Act, Color coding bins, good houses, Septic Tank & Sokage Pit.

The HCF shall comply to the Solid Waste Management Rules 2016 dated 8-4-2016

Under the Noise Pollution (Regulation and Control) Rules 2000, the HCF shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 am to 10 pm and night time is 10 pm to 6 am.

The HCF shall comply to the Plastic Waste Management Rules 2016 dated 18-3-2016.

Self Monitoring Schedule :

The HCF shall have to get the samples of emission Effluents analysed from the laboratory of J&K PCC or laboratories approved by J&K PCC at the time of operation to check the efficacy of Pollution Control Devices (PCDs) installed in the unit

The HCF shall comply with the additional conditions as stipulated below:-

The Consent is valid for the operation of HCF (Hospital) only. Any change are upgraded the HCF, shall have to be intimated to the JK PCC. For any enhancement of the above, fresh consent has to be obtained from J & K Pollution Control Committee.

The HCF has to keep a record of the environmental data monitored regularly with regard to operation and maintenance of pollution control devices viz Air Pollution and Water Pollution Control to achieve the desired standards notified in EP Act.

Pollution Control Devices (ETP/ECD) as contemplated to achieve the quality of effluent emission within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent emission shall not contain constituents in excess of the tolerance limits as laid down by J & K Pollution Control Committee.

The HCF shall be liable to pay compensation in case any damage is caused to the environment.

The HCF shall abide by the directions of the Committee which will be issued from time to time. Any infringement violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air Water Acts and Environment Protection Act in force.

The HCF be under surveillance monitoring of J & K Pollution Control Committee

The HCF shall provide adequate arrangement for fighting the accidental leakages discharge of any air pollutant gas liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.

The HCF shall adhere to general standards terms and conditions of Water Air Acts and compliance of environment standards as per environment protection act 1986.

The violator, can apply for Revision of Consent on the Site with the consent fee as directed

6/00-2

GENERAL TO
FRESH WATER

4/20/2016

ix. The HCF should apply 60 days in advance for renewal of consent before expiry the date of this Consent Order.

Specific Conditions:-

1. The Hospital Management shall adhere to general terms and conditions of Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 and ensure compliance of environment standards as per EP Act 1986 and as amendments made thereof.
2. The Hospital Management has to operate all requisite pollution control devices in the Hospital as envisaged under Bio-Medical Waste Management & Handling Rules.
3. The Hospital Management shall handover the waste generated to CBMWTSDF at Jammu.
4. The Hospital Management shall install Color coding bins with proper labeling in the hospital. Segregation of waste must be done at sources.
5. The Hospital Authority shall maintain the log book of ETP APCDs and keep them operational during the operation of the unit in case of default the consent shall be with drawn.
6. The Hospital Authority shall carry out the monitoring of ETP APCDs from the JKPCC lab once in a year besides SAMR which shall be verified by the JKPCC Lab.
7. The Hospital Authority shall submit the compliance of conditions of consent to the central office and DO office as well on half yearly basis.
8. The Hospital Authority shall remain under surveillance of the JKPCC regularly.
9. Periodic inspection by Divisional Officer, PCC as per schedule for Orange category units.
10. The Hospital Authority shall strictly adhere to the BMW Rules.

x. In case of violation of above mentioned conditions or any public complaint the consent shall be withdraw.

* This consent is issued purely from environmental angle and the Unit/Owner shall not be responsible for any claim, counter claim, ownership, partnership etc of the unit.

A. B. Jandial
(A. B. Jandial) 5/3/2025

Asst. Environmental Engineer



Member Secretary
Member Secretary
6.3.25

Copy to the :

1. Regional Director PCC Jammu for information and ensure the implementation of conditions as above.
2. Commissioner, JMC, Jammu for information.
3. Director Health Service, Jammu for information.
4. General Manager DIC, Jammu for information.
5. D.O PCC Jammu (South) for the direction to monitor the conditions of the consent stated above.
6. P.A. to Chairman, J&K PCC for information of the Chairman.
7. Ms Dr. Amit Multispeciality Hospital, Main Bazar Miran Sahib, Jammu South, Jammu (J&K) for compliance of above said conditions.
8. Office file

The unit holder shall comply to environment standards as notified under the environment protection Act 1986, read with the Water (Prevention & Control of Pollution) Act 1974 & Air (Prevention & Control of Pollution) Act, 1981 which can also be downloaded from the website www.jkpcc.jk.nic.in

- This is computer generated document from OCMMS by JKPCC

This authority can apply for Renewal/Extension of consent on the Site www.jkpcc.jk.nic.in directly

Terms and Conditions of Authorization

- a) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- b) The authorization or its renewals shall be produced for inspection at the request of an officer authorized by the prescribed authority.
- c) The person authorized shall not rent, lend, sell, transfer or otherwise transport the bio-medical wastes without obtaining prior permission of the prescribed authority.
- d) Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- e) It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

Additional Terms and Conditions of Authorization

6. Treatment & Disposal of Bio-Medical Waste (herein after to be called as BMW).

- a) Waste shall be treated & disposed of in accordance with specified Schedule- I of the rules and in compliance with the standards prescribed in Schedule- II.
- b) The applicant where required, shall set up requisite Bio-Medical Waste pre- treatment facilities like autoclave/ microwave system, shredder & Sewage / Effluent treatment plant for treatment of waste and ensure treatment of waste at a Common Bio- Medical Waste Treatment Facility (herein after to be called as CBMWTF).
- c) The chemical liquid waste as defined in Schedule- I, after resource recovery (wherever required) shall be pre-treated before mixing with other wastewater. The combined discharge shall conform to the discharge norms given in Schedule-III.
- d) Standards for incinerator/plasma pyrolysis or gasification/autoclaving/microwaving/deep burial/chemical disinfection etc., shall be as specified in Schedule-II of the BMW Rules, 2016.

7. Effluent Standards:

The effluent generated or treated from the premises of occupier or operator of a common bio-medical waste treatment and disposal facility, before discharge into the sewer, should conform to the following limits:

<u>Parameters</u>	<u>Maximum Permissible Limit</u>
pH	6.5 to 9.0
Suspended Solids	100 mg/l.
Oil & Grease	10 mg/l
BOD	30 mg/l
COD	250 mg/l
Bio-assay test	90% survival of fish after 96 hours in 100% effluent

8. Segregation & Storage of Bio-Medical Wastes:
 - a) BMW treated/untreated shall not be mixed with other wastes and shall not be disposed of with Municipal Solid Waste.
 - b) BMW shall be segregated into containers/bags at the point of generation in accordance with the specified Schedule-I, prior to its storage, transportation, treatment and disposal. The containers/bags shall be labeled as specified in Schedule-IV.
 - c) Provision within the premises shall be made for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified above, to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the BMW from such place or premises shall be directly transported in the manner as prescribed in these rules to the CBMWTF or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I;
 - d) At the storage site "Bio-Medical Waste Storage Site" & "Danger" signboards shall be prominently displayed.



Government of Jammu and Kashmir
J&K POLLUTION CONTROL COMMITTEE
OFFICE OF THE REGIONAL DIRECTOR - JAMMU
Parivesh Bhawan, Forest Complex, Gladni, Transport Nagar, Narwal, Jammu.
Email: regionaldirectorjkspcbimv@gmail.com.Tel/Fax 0191-2476926

S. No. PCC/RDJ/BMW/5230882/25 /73-75

Date 09/4/2025

Form -III
(See rule 10)

AUTHORIZATION

AUTHORIZATION (FRESH) FOR OPERATING A FACILITY FOR GENERATION, COLLECTION, RECEPTION, TREATMENT, STORAGE AND DISPOSAL OF BIO - MEDICAL WASTE

To,
Dr. Amit Vaid
Dr. Amit's Multispeciality Hospital,
Main Bazar Miran Sahib, R.S. Pura Road, Jammu.

The Board has scrutinized the information furnished by you and the proposal for management & handling of Bio-Medical Waste generated at your location mentioned below. After a careful consideration, it has been decided to grant authorization (Fresh) under Bio-Medical Waste Management Rules, 2016 (herein after to be called as BMW Rules) for a period and premises mentioned in this authorization

1. File No. of authorization and date of issue 25 of 2025 dt. 09/4/2025
2. Dr. Amit's Multispeciality Hospital occupier or operator of the facility located Main Bazar Miran Sahib, R.S. Pura Road, Jammu is hereby granted authorization for:

Activity

- Generation, Segregation
- Collection
- Storage
- Packaging
- Pre-Treatment
- Disposal



3. Dr. Amit's Multispeciality Hospital is hereby authorized for handling of biomedical waste as per the capacity given below;

- I. Number of beds of HCF: 30
- II. Mode of disposal of Bio-medical Waste: CBMWTF, Samba
- III. Quantity of Bio-medical Waste handled, treated or disposed per month: 1.8 kg
- IV. Validity of Authorization fees is upto : January, 2026.
- V. Bar Code Allotted: DRAMH181101JKBH00801.

Type of Waste Category	Quantity permitted for Handling/ Month (As per I/R)
Yellow :	0.9 kg
Red :	0.3 kg
White (Translucent) :	-
Blue :	0.6 kg

4. This authorization shall be in force up to January, 2026 from the date of issuance and shall be renewed subject to the fulfillment of conditions specified in the authorization.
5. This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Anju Sida
(Dr. Anju Sida)
Scientist,
JKPCC, Jammu

Shaveta Jandial
(Shaveta Jandial) IFS
Regional Director,
JKPCC, Jammu

- e) The applicant shall take all steps to ensure that such BMW is handled without any adverse effect to human health and the environment.
- f) The containers for storing segregated wastes shall be clearly identifiable. Colour coding of waste categories with multiple treatment options as defined in Schedule I (Part-1), shall be selected depending on treatment option chosen.
- g) No untreated BMW shall be kept stored beyond a period of 48 hours provided that if for any reason it becomes necessary to store the waste beyond such period, the authorized person must take permission of the prescribed authority and take measures to ensure that the waste does not adversely affect human health and the environment and in this regard shall designate a cold storage space.
9. Transportation of Bio-Medical Waste:
 - a) If a container is transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the label prescribed in Schedule IV (Part - A) of the rules, also carry information prescribed in Schedule IV of the rules.
 - b) Untreated BMW shall be transported only in such vehicles as may be authorized for the purpose by the competent authority. The transport vehicles shall be prominently labeled as per symbols shown in Schedule IV (Part - B) of the rules.
10. General Conditions:
 - a) Provide training to all its health care workers and others, involved in handling of BMW at the time of induction and thereafter atleast once in every year and the details of training programs conducted, number of personnel trained and number of personnel not undergone any training, shall be provided in the Annual Report.
 - b) Immunize all the health care workers and others, involved in handling of BMW for protection against diseases including hepatitis B and tetanus in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health and Family Welfare, issued from time to time.
 - c) Ensure occupational safety of all health care workers and others involved in handling of BMW by providing appropriate and adequate Personnel Protective Equipment (PPE).
 - d) Conduct health check up at the time of induction and atleast once in a year for all its health care workers and others involved in handling of BMW and maintain the record for the same.
 - e) Maintain an update on day to day basis, the BMW register and display the monthly record on its website according to the BMW generated in terms of category and color coding, as specified in Schedule I.
 - f) Establish a system to review and monitor the activities related to BMWM, either through an existing committee or by forming a new committee and the committee shall meet once in every six months and the record of the minutes of the meeting of this committee shall be submitted alongwith the annual report to the prescribed authority and the health care facilities having less than thirty beds shall designate a qualified person to review and monitor activities relating to BMWM within that facility and submit the annual report.
 - g) When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I of the rules to the Board forthwith.
 - h) Every applicant shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules and any guidelines issued.
 - i) All records shall be subject to inspection and verification by the Board at any time.
 - j) Every applicant shall submit an annual report in Form - IV on or before 30th June every year for the period from January to December, which shall include information about the categories & quantities, of BMW handled during the preceding year.
11. The applicant shall be further required to obtain the following from the Board: (whichever is applicable)
 - a) Consent under the Water (Prevention and Control of Pollution) Act, 1974.
 - b) Consent under the Air (Prevention and Control of Pollution) Act, 1981.
 - c) The Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016.